















- [10] J. Liu, Z. Chen, W. Wei, Y. Zhang, Z. Li, F. Liu and H. Guo, "Using chlorofluorocarbons (CFCs) and tritium (H-3) to estimate groundwater age and flow velocity in Hohhot Basin," *China. Hydrological Processes*, vol. 28, no. 3, pp.1372-1382, 2014.
- [11] S.H. Hall, S.P. Luttrell, and W.E. Cronin, "A Method for Estimating Effective Porosity and Groundwater Velocity," *Ground Water*, vol. 29, no. 2, pp. 171-174, 1991.
- [12] L. Tang, and S. Wang, "Progress in the study on mechanical effect of the chemical action of water-rock on deformation and failure of rocks," *Advance In Earth Sciences*, vol. 14, pp. 433-439, 1999.
- [13] J. J. McDonnell, and C. Kendall, "Isotope tracers in Catchment Hydrology," *Elsevier Science, Amsterdam*, vol. 839, pp. 1998.

---

Received: September 16, 2014

Revised: December 23, 2014

Accepted: December 31, 2014

© Feng *et al.*; Licensee *Bentham Open*.

This is an open access article licensed under the terms of the Creative Commons Attribution Non-Commercial License (<http://creativecommons.org/licenses/by-nc/3.0/>) which permits unrestricted, non-commercial use, distribution and reproduction in any medium, provided the work is properly cited.

RETRACTED ARTICLE