



Fig. (6). Quantitative Identification of the block diagram.

CONFLICT OF INTEREST

The authors confirm that this article content has no conflicts of interest.

ACKNOWLEDGEMENTS

The research was supplied by the Key Laboratory of High-efficiency and Clean Mechanical Manufacture at Shandong University, Ministry of Education, Jinan, China. At the same time, it was also supplied by the Key Laboratory of computer application at Shandong Women University. The corresponding authors of the paper are Zhou Yiqi (School of Mechanical Engineering, Shandong University) and Li Ying (School of Information and Technology, Shandong Women University).

REFERENCES

[1] C.G. Burdick, P.S. Lum, and P.C. Shor, "Development of robots for rehabilitation therapy: the Palo Alto VA/Stanford experience," *Journal of rehabilitation research and development*, vol.37, no.6, pp.663-73. 2000.

[2] P. Duhamel, "Implement of "Sp lit2Radix" FFT Algorithms for Complex, Real, and Realsymmetric Data," *IEEE Trans. Acoust Speech. Signal Processing*, 1986.

[3] E. Lamounier, A. Soares, and A. Andrade, "A virtual prosthesis control based on neural networks for EMG pattern classification," In: *Proceeding of the Artificial Intelligence and Soft Computing*, 2002.

[4] J.D. Zhao, Z.W. Xie, and L. Jiang, "Levenberg Marquardt based neural network control for a five-fingered prosthetic hand," In: *Proceeding of the 2005 IEEE International Conference on Robotics and Automation*, pp.4482-4487, 2005.

[5] L. Guo, and L. Ji, "Relation between patients' active force and effect of robotic therapy for rehabilitation," In: *Proceeding of the 27th IEEE international Conference on Engineering in Medicine and Biology Society*, vol. 5, pp. 5044-5046, 2005.

[6] M. Lei, Z. Wang and Z. Feng, "Detecting nonlinearity of action surface EMG signal," *Physics Letters*, vol. 290, no.5-6, pp.297-303, 2001.

[7] I. Mrazova, "The robustness of BP-networks," *Artificial Neural Networks*, 1995.

[8] T. Nef, and R. Riener, "ARM in-design of a novel arm rehabilitation robot," In: *Proceeding of the 9th IEEE Conference on Rehabilitation Robotics*, pp. 57-60, 2005.

[9] X. Q. Wang, Y. H. Wang, and S. H. Qian, "New technology for fault diagnosis based on wavelet denoising and modifies exponential time-frequency distribution," *Mechanical Engineering*, vol. 14, no. 3, 2001.

Received: June 10, 2015

Revised: July 29, 2015

Accepted: August 15, 2015

© Li and Zhou; Licensee Bentham Open.

This is an open access article licensed under the terms of the (<https://creativecommons.org/licenses/by/4.0/legalcode>), which permits unrestricted, non-commercial use, distribution and reproduction in any medium, provided the work is properly cited.