















- [2] E. C. Bentley, G. A. Putrus, S. McDonald, and P. Minns, "Power quality disturbance source identification using self-organising maps", *Generation, IET Transmission & Distribution*, vol. 10, no. 4, pp. 1188-1196, 2010.
- [3] P. K. Ray, N. Kishor, and S. R. Mohanty, "Islanding and power quality disturbance detection in grid-connected hybrid power system using wavelet and s-transform", *IEEE Transactions on Smart Grid*, vol. 3, no. 3, pp. 1082-1094, 2012.
- [4] W. G. Morsi, C. P. Diduch, C. Liuchen, and M. E. El-Hawary, "Wavelet-based reactive power and energy measurement in the presence of power quality disturbances", *IEEE Transactions on Power Systems*, vol. 26, no. 3, pp. 1263-1271, 2011.
- [5] M. Valtierra-Rodriguez, R. de Jesus Romero-Troncoso, R. A. Osornio-Rios, and A. Garcia-Perez, "Detection and classification of single and combined power quality disturbances using neural networks", *IEEE Transactions on Industrial Electronics*, vol. 61, no. 5, pp. 2473-2482, 2014.
- [6] B. V. Krishna, and K. Baskaran, "Parallel computing for efficient time-frequency feature extraction of power quality disturbances", *IET Signal Processing*, vol. 7, no. 4, pp. 312-326, 2013.
- [7] M. S. Manikandan, S. R. Samantaray, and I. Kamwa, "Detection and classification of power quality disturbances using sparse signal decomposition on hybrid dictionaries", *IEEE Transactions on Instrumentation and Measurement*, vol. 64, no. 1, pp. 27-38, 2015.
- [8] C.-Y. Lee, and S. Yi-Xing, "Optimal feature selection for power-quality disturbances classification", *IEEE Transactions on Power Delivery*, vol. 26, no. 4, pp. 2342-2351, 2011.
- [9] P. K. Ray, S. R. Mohanty, N. Kishor, and J. P. S. Catalao, "Optimal feature and decision tree-based classification of power quality disturbances in distributed generation systems", *IEEE Transactions on Sustainable Energy*, vol. 5, no. 1, pp. 200-208, 2014.
- [10] P. K. Ray, S. R. Mohanty, and N. Kishor, "Classification of power quality disturbances due to environmental characteristics in distributed generation system", *IEEE Transactions on Sustainable Energy*, vol. 4, no. 2, pp. 302-313, 2013.
- [11] S.-H. Cho, J. Gilsoo, and K. Sae-Hyuk, "Time-frequency analysis of power-quality disturbances via the gabor-wigner transform", *IEEE Transactions on Power Delivery*, vol. 25, no. 1, pp. 494-499, 2010.
- [12] H. Eristi, and Y. Demir, "Automatic classification of power quality events and disturbances using wavelet transform and support vector machines", *IET Generation, Transmission & Distribution*, vol. 6, no. 10, pp. 968-976, 2012.
- [13] F. B. Costa, "Boundary wavelet coefficients for real-time detection of transients induced by faults and power-quality disturbances", *IEEE Transactions on Power Delivery*, vol. 29, no. 6, pp. 2674-2687, 2014.
- [14] K. V. Bhadane, M. S. Ballal, and R. M. Moharil, "Wavelet transform based power quality analysis of grid connected wind farm - an investigation of power quality disturbances," In: *International Conference on Advances in Electrical Engineering (ICAEE)*, 2014, pp. 1-6.
- [15] C.-I. Chen, "Virtual multifunction power quality analyzer based on adaptive linear neural network", vol. 59, no. 8, pp. 3321-3329, 2012.
- [16] A. D. Paquette, and D. M. Divan, "Providing improved power quality in microgrids: difficulties in competing with existing power-quality solutions", *IEEE Industry Applications Magazine*, vol. 20, no. 5, pp. 34-43, 2014.
- [17] P. Wall, and V. Terzija, "Simultaneous estimation of the time of disturbance and inertia in power systems", *IEEE Transactions on Power Delivery*, vol. 29, no. 4, pp. 2018-2031, 2014.
- [18] M. Biswal, and P. K. Dash, "Measurement and classification of simultaneous power signal patterns with an s-transform variant and fuzzy decision tree", *IEEE Transactions on Industrial Informatics*, vol. 9, no. 4, pp. 1815-1827, 2013.
- [19] N. C. F. Tse, J. Y. C. Chan, L. Wing-Hong, L. L. Loi, "Hybrid wavelet and herbert transform with frequency-shifting decomposition for power quality analysis", *IEEE Transactions on Instrumentation and Measurement*, vol. 61, no. 12, pp. 3225-3233, 2012.
- [20] J. Ren-Feng, A. Qian, and H. Xing, "Research on dynamic load modeling based on power quality monitoring system", *IET Transmission & Distribution Generation*, vol. 7, no. 1, pp. 46-51, 2012.
- [21] Z. Fengzhan, and Y. Rengang, "Voltage sag disturbance detection based on short time Fourier transforms," In: *Proceedings of the CSEE*, 2007, vol. 27, no. 10, pp. 28-34, 109.

Received: October 16, 2014

Revised: December 23, 2014

Accepted: December 31, 2014

© Zhenhua et al.; Licensee Bentham Open.

This is an open access article licensed under the terms of the Creative Commons Attribution Non-Commercial License (<http://creativecommons.org/licenses/by-nc/3.0/>) which permits unrestricted, non-commercial use, distribution and reproduction in any medium, provided the work is properly cited.