













- [2] A. Angel, "Bayod-Rujula. Future development of the electricity systems with distributed generation," *Energy*, vol. 34, no. 3, pp. 377-383, 2009.
- [3] A. Qi, X. Yang, and G. Gong, "Design and realization of electric Power communication resource management system," *Relay*, vol. 33, no. 16, pp. 54-61, 2005.
- [4] Luder, "The network-and system's theory of electrical communications," *Umschau inWissensehaft und Teehnik*, vol. 74, no.10, pp.303-306, 1974.
- [5] J. Cai, X. Shen, and J. W. Mark, "Downlink resource management for packet transmission in OFDM wireless communication systems," *IEEE Transactions on Wireless Communications*, vol. 4, no.4, pp. 688-1702, 2005.
- [6] Z. Lian, and J.W. Mark, "Integrated Power control and rate allocation for radio resource management in uplink wideband CDMA systems," In: *Proceedings. Sixth IEEE International Symposium on a World of Wireless Mobile and Multimedia Networks*, pp.428-436, 2005.
- [7] M. C. Kim, J. Park, W. Jung, H. Kim, and Y. J. Kim, "Development of a standard communication protocol for an emergency situation management in nuclear power plants," *Annals of Nuclear Energy*, vol. 37, no.6, pp. 888-893, 2010.
- [8] C.H. Lien, H.C. Chen, Y.W. Bai, and M.B. Lin, "Power Monitoring and Control for Electric Home Appliances Based on Power Line Communication," In: *Instrumentation and Measurement Technology Conference proceedings*, pp. 2-79, 2008.
- [9] L. Xu, T. Chen, Z. Ren, and D. Wu, "Resource management for uplink OFDM wireless communication system," *Global Mobile Congress*, pp. 284-288, 2007.
- [10] M. Khodier, and G. Saleh, "Beamforming and Power control for interference reduction in wireless communications using particle swarm optimization," *International Journal of Electronics and Communications*, vol. 64, no.6, pp. 489-502, 2010.
- [11] A. Radonjic, and V. Vujicic, "Integer SEC-DED codes for low power communications," *Information Processing Letters*, vol. 110, no.12-13, pp. 518-520, 2010.
- [12] S. Kim, Ji. Park, S. Han, and H. Kim, "Development of extended speech act coding scheme to observe communication characteristics of human operators of nuclear Power Plants under abnormal conditions," *Journal of Loss Prevention in the ProcessIndustries*, vol. 23, no.4, pp. 539-548, 2010.
- [13] A. Vacearo, and D. Villacei, "Performance analysis of low earth orbit satellites for Power system communication," *Electric Power Systems Researh*, vol. 73, no.3, pp. 287-294, 2005.
- [14] Y. Chung, C. Paik, and H. Kim, "Sub gradient approach for resource management in multi-user OFDM systems," In: *First International Conference on Communications and Elcetrionics*, vol. 5, 2007.

---

Received: June 02, 2015

Revised: August 15, 2015

Accepted: September 05, 2015

© Liu Tong; Licensee Bentham Open.

This is an open access article licensed under the terms of the Creative Commons Attribution Non-Commercial License (<http://creativecommons.org/licenses/by-nc/3.0/>) which permits unrestricted, non-commercial use, distribution and reproduction in any medium, provided the work is properly cited.